

TRACKS & CHAINS



TRYGG

A product by Nøsted &



TRANSPORT



TRACTOR



CONSTRUCTION



FORESTRY



OFF ROAD VEHICLES

2024

USA MSRP

www.trygg.no



About **TRYGG** tire chains

Nøsted & has been producing chains under the brand name TRYGG for over 80 years.

The Nøsted & factory, spanning 10,000 square meters, produces chains for use in transportation, agriculture, construction, forestry, as well as chains for fisheries, aquaculture, industry, oil, and offshore. We also offer customer-specific solutions and have, among other things, delivered special chains to highly recognized businesses within seismic research, shipbuilding, and oil services.

TRYGG chains are developed for Norwegian conditions and therefore also excellently suited for challenging conditions elsewhere in the world. TRYGG chains are exported to all continents.

Sustainability

With steel from specific Western steel mills and full control over production and product development, TRYGG guarantees quality in every aspect.

Did you know that the CO2 emission from the production of the steel used in the Trygg chains is less than half of the emission of steel produced in China or elsewhere in Europe? In many cases, even three to four times less.

TRYGG chains are heat-treated after hardening, which more than doubles the tensile strength. The chains are made of double boron steel, with double hardening and double resistance to breaking.


TRYGG – preferred for a reason!

nøsted &



INDEX

Tracks - Skidder	1
Tracks - CTL bogie	2-4
Track Tools & Parts	5
Troll - Skidder	6
Giant U - Skidder	7
Bear Paw - Skidder	8
Ring - Skidder	9-10
SMT - All equipment	11
CTL machines	12
Ladder - Loader grader	13-14
Farm tractor	15-16
ATV & Small tractor	17
Forklift & Skid steer	18
Light Truck V-Bar	19
Light Truck Studded	20
Heavy Truck Studded	21-23
Heavy Truck Square Ice	24
Chain Tools & Parts	25-27



BALDER SKIDDER



WHEEL TRACK



- **STEEP SLOPE RUNNER**
- Climbing grip and stability on rugged mountains
- Powers through snow, mud and ice
- Extends tire life and turns well worn tires into traction monsters
- Out lasts chains by up to double the hours
- Made of boron alloy steel milled in Germany
- Rough ride, increased fuel consumption compared to chains



**Crossbar
with raised ridge**



Linksystem

26 mm
1"



Cleats

45 mm x 20 mm x 35 mm
1 3/4" x 7/8" x 1 3/8"



**Double cleats
on every crossbar**



Track lock

(included
8-4" / 4-6" / 4-8")



**Balder
installation
tool**

(included)

TRYGG BALDER - SINGLE WHEEL TRACK

Product	Stock #	Spec	Cross bar length	Kg	Lb	Unit	Price \$
30.5x32, Double Cleat	670072	26 mm 1"	966 mm 38"	1350	2977	Pair	9 200
35.5x32, Double Cleat	670083	26 mm 1"	1112 mm 44"	1486	3276	Pair	10 350

- 16 track locks included to tighten and loosen for correct fitment on new and worn tires
- 1 installation tool included

BALDER INSTALLATION TOOL

Product	Stock #	Stroke length	Kg	Lb	Unit	Price \$
Installation tool	671425	330 mm 13"	14	31	Each	450

- 5 inch inside clearance required to accommodate cross bar length
- Tracks must be kept tight at all times to avoid wheel spin inside the cage

TYR GRIP



- **MOUNTAIN CLIMBER**
- Grip and traction on the steepest slopes
- Thick cross bars spaced out maximize ground pressure for penetration into hard and frozen terrain
- Large cleats grip and pull through snow, ice, mud and rugged terrain
- Made of boron alloy steel milled in Germany
- Not intended for use on soft wet land



Crossbar

48 mm x 48 mm
2" x 2"



Linksystem

26 mm
1"



Crossbar cleats

50 mm x 30 mm x 50 mm
2" x 1¼" x 2"
*Double cleats

TRYGG TYR - GRIP TRACK

Stock no.	Tire size	Tire fitment code	Bogie centers		Cross bar length		Lbs	Unit	Price \$
			mm	in	mm	in			
670100	600 - 22,5 Single Cleat	FKF2, TRS, TRS 2, T428, A344	1300	51.2	740	29.2	2662	Pair	9 750
670161	600 - 26,5 Double Cleat	FKF2, FR, T428, A343	1500	59	740	29.2	2662	Pair	11 195
670231	710 - 24,5 Double Cleat	FKF, FKF2, A343	1430	56.3	850	33.5	3069	Pair	10 950
670262	710 - 26,5 Double Cleat	FKF2, TRS2, A331, A342, A343, A344	1500	59	850	33.5	3280	Pair	13 595
670264	710 - 26,5 Double Cleat	TRS, TRS2, T440, TiGF	1500	59	850	33.5	3280	Pair	13 600
670361	750 - 26,5 Double Cleat	FKF, TRS, A343, A344	1720	67.7	850	33.5	3410	Pair	13 750
671001	800 - 26,5 Double Cleat	TRS 2, A344	1500	59	900	35.4	3088	Pair	13 900

16 locks included allow the operator to keep the "tightness" adjusted properly as the tires and tracks wear over time.

8 - short 105 mm / 4"

4 - medium 155 mm / 6"

4 - long 205 mm / 8"

1 - installation tool included



Track lock

* Setup clamps sold separately (page 5)

* Performance comparison chart (page 5)

* Fitment codes chart (page 5)

* Bogie centers hub to hub distance

FRIGG ALLROUND



- **FOOTHILLS DOZER**
- Balanced "Float" and "Grip" for a wide variety of climate and ground conditions
- Mid width cross bars are wide enough apart to provide good traction, and close enough together to provide good flotation
- Climbing, pulling, load bearing and balance
- Made of boron alloy steel milled in Germany



Crossbar

80 mm x 20 mm
3 1/8" x 3/4"



Linksystem

26 mm
1"



Crossbar cleats

50 mm x 30 mm x 50 mm
2" x 1 1/4" x 2"
* Double cleats

TRYGG FRIGG - ALLROUND TRACK

Stock no.	Tire size	Tire fitment code	Bogie centers		Cross bar length		Lbs	Unit	Price \$
			mm	in	mm	in			
670401	600 - 22,5 Double stud	FKF2, TRS, TRS2, T428, A344	1300	51.2	740	29.1	2640	Pair	10 925
670461	600 - 26,5 Double stud	FKF, FKF2, T428, A343	1500	59	740	29.1	2917	Pair	12 080
670502	710 - 22,5 Double stud	FKF, A331, A343	1300	51.2	850	33.5	2697	Pair	11 150
670505	710 - 22,5 Double stud	FKF2	1300	51.2	850	33.5	2697	Pair	11 150
670531	710 - 24,5 Double stud	FKF, FKF2, A343	1430	56.3	850	33.5	2895	Pair	12 030
670562	710 - 26,5 Double stud	FK, FKF2, FR, ELS, T428, T480, A342, A343, TIFF, TiHF2, FsB	1500	59	850	33.5	3095	Pair	12 640
670564	710 - 26,5 Double stud	TRS, TRS2, T440, A344, TiGF	1500	59	850	33.5	3095	Pair	12 640
670661	750 - 26,5 Double stud	FKF, TRS, A343, A344	1720	67.7	850	33.5	3397	Pair	14 750
671401	800 - 26,5 Double stud	TRS2, A344	1500	59	900	35.4	3199	Pair	13 050



Track lock

16 locks included allow the operator to keep the "tightness" adjusted properly as the tires and tracks wear over time.

8 - short 105 mm / 4"

4 - medium 155 mm / 6"

4 - long 205 mm / 8"

1 - installation tool included

* Setup clamps sold separately (page 5)

* Performance comparison chart (page 5)

* Fitment codes chart (page 5)

* Bogie centers hub to hub distance

DRIVA FLOAT



- **WET LAND FLOATER**
- Load bearing and machine balance on soggy wet terrain
- Wide cross bars set close together maximize footprint and minimize ground pressure
- Gentle on the forest floor and root systems
- Made of boron alloy steel milled in Germany
- Not intended for use on snow or steep slopes



Crossbar

150 mm x 16 mm
6" x 5/8"



Linksystem

26 mm
1"



Crossbar cleats

50 mm x 30 mm x 50 mm
2" x 1¼" x 2"
*Double cleats

TRYGG DRIVA - FLOAT TRACK

Stock no.	Tire size	Tire fitment code	Bogie centers		Cross bar length		Lbs	Unit	Price \$
			mm	in	mm	in			
670801	710 - 22,5 Double Cleat	FKF, A331, A343	1300	51.2	850	33.5	2803	Pair	12 550
670803	710 - 22,5 Double Cleat	FKF2	1300	51.2	850	33.5	2803	Pair	12 550
670862	710 - 26,5 Double Cleat	FKF2, TRS2, A331, A342, A343, A344	1500	59	850	33.5	3212	Pair	13 820
670864	710 - 26,5 Double Cleat	TRS, TRS2, T440, TiGF	1500	59	850	33.5	3212	Pair	13 820
671701	800 - 26,5 Double Cleat	TRS2, A344	1500	59	935	36.8	3430	Pair	14 970



Track lock

16 locks included allow the operator to keep the "tightness" adjusted properly as the tires and tracks wear over time.

- 8 - short 105 mm / 4"
- 4 - medium 155 mm / 6"
- 4 - long 205 mm / 8"
- 1 - installation tool included

- * Setup clamps sold separately (page 5)
- * Performance comparison chart (page 5)
- * Fitment codes chart (page 5)
- * Bogie centers hub to hub distance

TRACKS TOOLS & PARTS



TRYGG TRACK LOCK						
Stock no.	Product	Spec	Lenght	Lb	Unit	Price \$
671110	Track lock 105 4"	26 mm	105 mm	6	Each	63
671120	Track lock 155 6"	26 mm	155 mm	9	Each	70
671130	Track lock 205 8"	26 mm	205 mm	10	Each	78
671150	Track lock extension	50x45	120 mm	5	Each	54
671151	Track lock bolt	N/A	N/A	0.02	Each	1.60
671152	Track lock nut	N/A	N/A	0.06	Each	1.00

TRYGG SET UP CLAMPS				
Stock no.	Product	Lb	Unit	Price \$
671450	Installation clamps	15.4	Pair	60

TRYGG INSTALLATION TOOL				
Stock no.	Product	Lb	Unit	Price \$
671410	Tightening tool - TYR	13	Each	650
671415	Tightening tool - FRIGG	13	Each	650
671420	Tightening tool - DRIVA	13	Each	650
671425	Tightening tool - BALDER	13	Each	450

PERFORMANCE COMPARISON

	TYR GRIP	FRIGG ALLROUND	DRIVA FLOAT	BALDER
Grip on steep slopes	***	**	*	***
Floatation on soft ground	*	**	***	*
Stability on snow	***	**	*	***
Tire protection	*	**	***	*

FITMENT CODES FOR TIRE BRANDS AND MODELS

NOKIAN	TRELLEBORG	ALLIANCE	TIANLI	FIRESTONE
*NM - Nordman F	T428	A331	TIFF	FsB
FK - Forestry King	T440	A342	TIFG	
FKF - Forestry King "F"	T480	A343	TIHF2	
FKF2 - Forestry King "F2"		A344		
FR - Forestry Rider				
TRS, TRS2				
ELS				

* "Nordman F" same as "Forest King F"

TROLL 22 7/8"

SKIDDERS



Troll 22


- Troll is a TRYGG original design with larger gauge links and studs around the crown of the tire where ground pressure and contact is greatest
- 22 mm-7/8" links with 25 mm-1" studs around the crown
- 19 mm-3/4" links with 22 mm-7/8" studs around the shoulders
- Stiff mesh pattern minimizes movement and keeps studs vertical
- Alloy steel deep case hardened ensures durability and long service life
- Single diamond options comes with 22 mm-7/8" links and studs 25 mm-1"



- Tire friendly
- Smooth underside has no welds resting on the tire
- Large level contact surface minimizes rubbing



Troll Single Diamond 7/8"



Centre diamonds
22 mm (7/8") links,
25 mm (1") studs




Shoulder diamonds
19 mm (3/4") links,
22 mm (7/8") studs

TROLL 22 - 7/8"		Double Diamond		Single Diamond		
Tire size	Stock #	Weight kg/lbs	Price	Stock #	Weight kg/lbs	Price \$
24.5-32	628566	735 / 1617	4 594	628966	514 / 1131	3 278
30.5-32	628571	792 / 1742	4 803	628971	543 / 1195	3 394
780/50-28.5	628573		4 090	628973		3 054
35.5-32	628582	910 / 2002	5 256	628982	619 / 1363	3 856

GIANT U

SKIDDERS



Double Diamond

Single Diamond

- Back mounted wide U studs on horizontal links and single studs on all vertical links
- Ring connections allow movement that aids cleaning out debris and mud
- Alloy steel deep case hardened ensures durability and long service life

GIANT U SINGLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
18.4-34	623053	16 / 5/8"	316 / 695	2 394
23.1-26	623065	16 - 5/8"	317 / 697	2 402
23.1-26	623165	19 - 3/4"	391 / 860	2 778
24.5-32	623166	19 - 3/4"	449 / 987	3 219
28L-26	623164	19 - 3/4"	425 / 935	2 966
30.5-32	623171	19 - 3/4"	490 / 1078	3 435
35.5-32	623182	19 - 3/4"	542 / 1192	3 755

GIANT U DOUBLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
18.4-34	623353	16 - 5/8"	451 / 997	3 394
23.1-26	623365	16 - 5/8"	453 / 997	3 404
23.1-26	623465	19 - 3/4"	558 / 1228	3 938
24.5-32	623366	16 - 5/8"	521 / 1146	3 664
24.5-32	623466	19 - 3/4"	641 / 1410	4 469
28L-26	623364	16 - 5/8"	490 / 1078	3 561
28L-26	623464	19 - 3/4"	603 / 1327	4 204
30.5-32	623371	16 - 5/8"	568 / 1250	4 072
30.5-32	623471	19 - 3/4"	699 / 1538	4 869
35.5-32	623482	19 - 3/4"	831 / 1829	5 322

NET LINK



Net Link

- Double diamond, double studded
- Ring connections
- General all purpose use
- Deep case hardened European steel

NET LINK 1/2" & 5/8" DOUBLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
16.9-28	611239	13 - 1/2"	250 / 550	2 281
16.9-30 / 18.4-26	611240	13 - 1/2"	271 / 596	2 394
23.1-26 / 18.4-34	611255	13 - 1/2"	305 / 671	2 836
23.1-26 / 18.4-34	611355	16 - 5/8"	438 / 964	3 232
23.1-26	611365	16 - 5/8"	444 / 977	3 232
24.5-32	611366	16 - 5/8"	504 / 1109	3 489
28L-26	611374	16 - 5/8"	490 / 1078	3 391
30.5-32	611371	16 - 5/8"	556 / 1223	3 878

NET LINK 3/4" DOUBLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
23,1-26	611465	19 - 3/4"	525 / 1155	3 751
28L-26	611435	19 - 3/4"	578 / 1272	4 004
24,5-32	611466	19 - 3/4"	613 / 1349	4 256
30,5-32	611471	19 - 3/4"	663 / 1459	4 636
35,5-32	611482	19 - 3/4"	855 / 1881	5 069

* Metric sizes available shown on page 7

BEAR PAW



Bear Paw



- Cleats on subrings provide extra grip and traction
- Alloy steel deep case hardened
- Big ring cleats 22 x 75 x 72 mm (7/8" x 3" x 2 7/8")
- Small ring cleats 19 x 60 x 60 mm (3/4" x 2 3/8" x 2 3/8")

BEAR PAW MULTI RING CHAINS 1 3/8" MAIN RING - 7/8" TAG 3/4" STRAP. & 5/8" SIDE CHAIN

GROUSERS ON JUNCTION RINGS

Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
24.5-32	22-19 / 7/8" - 3/4"	633370	837 / 1842	5 149
28L-26	22-19 / 7/8" - 3/4"	633374	813 / 1790	5 049
30.5-32	22-19 / 7/8" - 3/4"	633380	845 / 1860	5 567
35.5-32	22-19 / 7/8" - 3/4"	633385	955 / 2101	5 968

BEAR PAW MULTI RING CHAINS 1 3/8" MAIN RING - 1" TAG 7/8" STRAP. & 3/4" SIDE CHAIN

Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
24.5-32	25-22 / 1" - 7/8"	633470	980 / 2156	5 842
28L-26	25-22 / 1" - 7/8"	633474	942 / 2072	5 728
30.5-32	25-22 / 1" - 7/8"	633480	1032 / 2272	6 186
35.5-32	25-22 / 1" - 7/8"	633485	1179 / 2594	6 628
73-44-32	25-22 / 1" - 7/8"	633490	1201 / 2642	7 059

TIGHT 25 - 1"



Tight 1"



- Close spaced rings and heavy components ensure long service in extreme conditions
- Short 28 mm (1 1/8") tag links keep big rings close together
- 28 mm (1 1/8") half links on 35 mm (1 3/8") big ring
- 22 mm (7/8") side straps
- 25 mm (1") sub ring
- 22 x 75 x 63 mm (7/8" x 3" x 2 1/2") cleats

MULTI RING CHAINS 1 3/8" MAIN RING - 1 1/8" TAG 7/8" STRAP. & 3/4" SIDE CHAIN

Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
24.5-32	25-22 / 1" x 7/8"	631470	840 / 1850	4 906
30.5-32	25-22 / 1" x 7/8"	631480	897 / 1974	5 122
35.5-32	25-22 / 1" x 7/8"	631485	980 / 2156	5 314

TIGHT 22 - 7/8"

SKIDDERS



Tight 7/8"

- Close spaced rings and heavy components ensure
- dependability in all conditions
- Short 25 mm (1") tag links keep big rings close together
- 28 mm (1 1/8") half links on 35 mm (1 3/8") big ring
- 19 mm (3/4") side straps
- 25 mm (1") sub ring
- 22 x 75 x 63 mm (7/8" x 3" x 2 1/2") cleats

MULTI RING CHAINS 1 3/8" MAIN RING - 1" TAG 3/4" STRAP. & 5/8" SIDE CHAIN				
Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
23.1-26	22-19 / 7/8" - 3/4"	631365	551 / 1213	3 638
28L-26	22-19 / 7/8" - 3/4"	631374	620 / 1364	4 090
24.5-32	22-19 / 7/8" - 3/4"	631370	634 / 1396	4 232
30.5-32	22-19 / 7/8" - 3/4"	631380	716 / 1575	4 621
35.5-32	22-19 / 7/8" - 3/4"	631385	808 / 1779	5 154
73-44-32	22-19 / 7/8" - 3/4"	631390	807 / 1776	5 147

TIGHT 19 - 3/4"



Tight 3/4"

MULTI RING CHAINS 1 1/4" MAIN RING - 3/4" TAG 5/8" STRAP. & 1/2" SIDE CHAIN				
Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
16.9x30 / 18.4x26	19-16 / 3/4" - 5/8"	631241	386 / 850	2 623
18.4-34	19-16 / 3/4" - 5/8"	631252	477 / 1051	2 886
23.1-26	19-16 / 3/4" - 5/8"	631266	495 / 1089	2 854
24.5-32	19-16 / 3/4" - 5/8"	631271	569 / 1252	3 597
28 L-26	19-16 / 3/4" - 5/8"	631275	504 / 1110	3 427
30.5-32	19-16 / 3/4" - 5/8"	631280	653 / 1438	4 194
35.5-32	19-16 / 3/4" - 5/8"	631285	759 / 1671	4 809
73-44-32	19-16 / 3/4" - 5/8"	631290	744 / 1637	5 057

- Cleats 3/4" x 3" x 2 3/8"

TIGHT 16 - 5/8"

MULTI RING CHAINS 1 1/8" MAIN RING - 5/8" TAG LINKS				
Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
16.9-30 / 18.4-26	16-16 / 5/8" - 5/8"	631140	354 / 778	2 345
23.1-26 / 18.4-34	16-16 / 5/8" - 5/8"	631165	410 / 902	2 489
24.5-32	16-16 / 5/8" - 5/8"	631170	499 / 1097	3 414
28L-26	16-16 / 5/8" - 5/8"	631174	490 / 1078	3 264
30.5-32	16-16 / 5/8" - 5/8"	631180	545 / 1199	4 038

- Cleats 3/4" x 2 3/8" x 1 3/4"

FIXED RING

SKIDDERS



Fixed Ring

- Less big rings per tire than Tight Ring
- Economical option for part time use

REGULAR RING CHAINS 1 1/8" MAIN RING - 5/8" TAG 5/8" STRAP. & 1/2" SIDE CHAIN				
Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
18.4-26	16 / 5/8"	630240	318 / 699	2 069
18.4-34	16 / 5/8"	630251	339 / 746	2 208
23.1-26	16 / 5/8"	630265	355 / 783	2 265
24.5-32	16 / 5/8"	630270	394 / 867	2 564
28 L-26	16 / 5/8"	630274	393 / 865	2 555
30.5-32	16 / 5/8"	630280	449 / 987	2 868



REGULAR RING CHAINS 1 1/4" MAIN RING - 3/4" TAG 5/8" STRAP. & 1/2" SIDE CHAIN				
Tire size	Gauge (mm/inch)	Stock #	Weight (kg/lbs)	Price \$
18.4-34	19 / 3/4"	630351	420 / 924	2 640
23.1-26	19 / 3/4"	630365	491 / 1080	3 085
24.5-32	19 / 3/4"	630370	573 / 1262	3 465
30-5-32	19 / 3/4"	630380	644 / 1417	3 893
35.5-32	19 / 3/4"	630385	683 / 1503	4 128

FLOATING



Floating

- Big ring is free to move, self cleaning
- Floating Tight (shown) has three tag links, more big rings
- Floating Regular has five tag links, less big rings per tire
- Contact Nosted & Canada for price and availability on sizes not listed

FLOATING RING "FL" size	Tight 3/4" - 3/4" Big ring 1 1/4"			Tight 7/8" - 3/4" Big ring 1 1/4"			Tight 1" - 7/8" Big ring 1 1/4"		
Tire size	Stock	Weight kg/lbs	Price \$	Stock	Weight kg/lbs	Price \$	Stock	Weight kg/lbs	Price \$
23.1-26	635765	500 / 1100	3 398	635865	641 / 1410	3 740			
24.5-32	635770	558 / 1229	3 720	635870	750 / 1650	4 231	635970	785 / 1730	5 670
28L-26							635974	907 / 2000	5 344
30.5-32	635780	720 / 1584	4 087	635880	881 / 1940	4 927	635980	908 / 2001	5 950
35.5-32	635785	754 / 1660	4 614	635885	959 / 2110	5 390	635985	1005 / 2214	6 545
73-44-32	635790	760 / 1672	4 374	635890	1030 / 2266	5 236			



SMT

- Aggressive all purpose chain for all types of off road conditions
- Twisted links keep the studs vertical at all times
- Tight mesh pattern stays on top of the tire lugs for maximum stud penetration
- Alloy steel, deep case hardened ensures durability and long service life

SMT	9.5 - 3/8"			11 - 7/16"			13 - 1/2"			16 - 5/8"		
EQUIPMENT TIRES	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$
14:00-24/25	603780	97 / 213	1 076	605780	123 / 271	1 326	-	-	-	-	-	-
16:00-24/25	603781	112 / 246	1 268	605781	140 / 308	1 531	606781	201 / 442	1 935	-	-	-
18:00-24/25	-	-	-	605792	152 / 334	1 606	606792	208 / 458	2 204	-	-	-
17.5-25	603762	99 / 218	1 151	605762	126 / 277	1 347	606762	176 / 387	1 745	-	-	-
20.5-25	603764	107 / 235	1 171	605764	147 / 323	1 524	606764	193 / 425	1 991	-	-	-
20.5-25 L5	-	-	-	605765	157 / 345	1 627	606765	206 / 453	2 108	-	-	-
23.5-25	-	-	-	-	-	-	606766	218 / 480	2 152	608766	338 / 744	2 744
23.5-25 L5	-	-	-	-	-	-	606767	241 / 530	2 368	608767	362 / 796	2 809
26.5-25	-	-	-	-	-	-	606768	279 / 613	2 618	608768	370 / 814	3 123
26.5-25 L5	-	-	-	-	-	-	606769	319 / 701	2 812	608769	394 / 867	3 276
29.5-25	-	-	-	-	-	-	606773	344 / 756	3 180	608773	425 / 935	3 564
29.5-25 L5	-	-	-	-	-	-	606774	374 / 822	3 402	608774	442 / 972	3 793

SMT	13 - 1/2"			16 - 5/8"			19 - 3/4"		
SKIDDER TIRES	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$
16.9-30 18.4-26	606550	195 / 430	1 819	608550	316 / 697	1 963	-	-	-
16.9-34 18.4-30	606552	201 / 442	1 892	608552	319 / 702	2 068	-	-	-
18.4-34 23.1-26	606965	210 / 462	1 996	608965	326 / 717	2 114	609965	414 / 911	2 618
24.5-32 28 L 26 23.5-25	-	-	-	608968	391 / 860	2 506	609968	480 / 1056	3 033
30.5-32 26.5-25 L 5	-	-	-	608969	411 / 904	2 758	609969	516 / 1135	3 231
35.5-32	-	-	-	-	-	-	609971	586 / 1289	3 475
METRIC TIRES	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$
600/55-22.5	606593	183 / 403	1 929	608593	274 / 603	2 224	-	-	-
600/55-26.5	606604	189 / 416	2 093	608604	287 / 631	2 672	-	-	-
600/65-34	-	-	-	608766	375 / 825	2 744	-	-	-
710/45-26.5	606594	210 / 462	2 243	608594	335 / 736	2 605	-	-	-
750/55-26.5	-	-	-	608608	342 / 752	2 772	-	-	-
700/50-34	606607	259 / 570	2 825	608607	414 / 910	2 739	-	-	-

NET LINK

FORWARDERS & HARVESTORS



Net Link



- Full Double Diamond pattern provides full width traction and protection
- Double studs on all vertical links penetrate ice and frozen ground
- Alloy steel deep case hardened ensures durability and long service life
- "Without studs" available for less grip requirements

NET LINK 1/2" 5/8" 3/4" DOUBLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
500/60-22.5	611228	13 - 1/2"	210 / 462	2 330
600/50-22.5	611275	13 - 1/2"	217 / 477	2 334
600/55-22.5	611242	13 - 1/2"	221 / 486	2 340
600/55-26.5	611276	13 - 1/2"	263 / 579	2 529
600/55-26.5	611376	16 - 5/8"	385 / 847	3 254
600/65-34	611378	16 - 5/8"	476 / 1047	3 824
700/45-22.5	611204	13 - 1/2"	248 / 546	2 447
710/45-26.5	611261	13 - 1/2"	261 / 574	2 496
710/45-26.5	611361	16 - 5/8"	425 / 935	3 414
710/55-34	611364	16 - 5/8"	473 / 1041	3 870
710/55-34	611464	19 - 3/4"	570 / 1254	4 661
750/55-26.5	611231	13 - 1/2"	-	3 250
750/55-26.5	611331	16 - 5/8"	-	3 950

SM2D

FORWARDERS & HARVESTORS



SM2D



- Extreme grip and stability from massive amount of studs gripping the terrain at all times
- Tight mesh coverage protects tires from wear and damage
- Performs extremely well on steep icy terrain
- Deep case hardened alloy steel ensures durability and long service life

SM2D 7/16" 1/2" 5/8" DOUBLE DIAMOND

Tire size	Stock #	Gauge mm/inch	Weight kg/lbs	Price \$
600/50-22.5	615593	11 - 7/16"	173 / 381	1 500
600/55-26.5	616604	13 - 1/2"	237 / 601	2 569
600/60-30.5	615633	11 - 7/16"	214 / 470	1 764
600/65-38	615320	11 - 7/16"	236 / 519	1 944
650/65-38	615321	11 - 7/16"	252 / 554	2 076
710/45-26.5	616594	13 - 1/2"	243 / 535	2 741
710/45-26.5	618594	16 - 5/8"	359 / 790	3 268
700/55-34	616607	13 - 1/2"	294 / 647	3 313
710/55-26.5	616594	13 - 1/2"	243 / 535	2 741
750/55-26.5	616608	13 - 1/2"	283 / 623	3 191
750/55-26.5	618608	16 - 5/8"	413 / 909	3 615

LADDER SQUARE ICE 11 & 13

HEAVY EQUIPMENT



Ladder Square Ice

- Crossers on every second side chain link
- Square profile links provide grip on ice without causing road damage
- Basic design made with high quality TRYGG components ensures long service life
- Also available with 4-links spacing

LADDER SQUARE ICE		11 mm - 7/16" 2-link space		13 mm - 1/2" 2-link space		
Tire size	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$
14:00-24/25	509361-2	130 / 285	847	509461-2	144 / 317	966
16:00-24/25	509362-2	155 / 341	987	509462-2	171 / 376	1 092
17.5-24/25	509371-2	145 / 318	903	509471-2	160 / 352	1 029
20.5-25	509372-2	181 / 398	1 086	509472-2	212 / 466	1 155
23.5-25	509381-2	207 / 455	1 255	509481-2	314 / 690	1 619
26.5-25	509382-2	241 / 530	1 452	509482-2	391 / 860	1 830

SAFETY GRIP 11.5 & 13

LOADERS & ROCK TRUCKS



Safety Grip 11.5

- Good traction without doing damage to roads, landings or Rig mats
- Expandable pattern ensures tight fit for stability at speed
- Grip and performance superior to "Ladder" designs
- Low profile suits limited clearance and tight boogie wheel applications

SAFETY GRIP				
Tire size	Stock #	Material mm/inch	Weight kg/lbs	Price \$
17.5-25	502271	11.5 / 7/16"	138 / 304	1 023
17.5-25	502371	13 / 1/2"	188 / 414	1 210
16:00-24	502262	11.5 / 7/16"	154 / 339	1 105
16:00-24	502362	13 / 1/2"	211 / 464	1 044
20.5-25	502272	11.5 / 7/16"	158 / 348	1 126
20.5-25	502372	13 / 1/2"	220 / 484	1 289
23.5-25	502373	13 / 1/2"	255 / 561	1 383
26.5-25	502389	13 / 1/2"	313 / 688	1 569
29.5-25	502394	13 / 1/2"	345 / 759	1 729
750/65-25	502385	13 / 1/2"	360 / 792	1 976
875/65-29	502386	13 / 1/2"	286 / 629	2 223

LADDER STUDDED 11 & 13

HEAVY EQUIPMENT



Ladder Studded

- Crossers on every second side chain link
- Studded links provide grip on ice, snow and mud
- Basic design made with high quality TRYGG components ensures long service life
- Also available with 4-links spacing

STUDDED LADDER	11 mm - 7/16"			13 mm - 1/2"			
	Tire size	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs	Price \$
	14:00-24/25	500361	137 / 301	988	500461	162 / 356	1 462
	16:00-24/25	500362	165 / 362	1 287	500462	180 / 396	1 678
	17.5-24/25	500371	155 / 342	1 161	500471	195 / 431	1 536
	20.5-25	500372	209 / 460	1 406	500472	241 / 529	1 740
	23.5-25	500381	230 / 505	1 834	500481	356 / 784	2 476
	26.5-25	500383	251 / 552	2 225	500483	445 / 980	3 170

LADDER NO-STUD 11 & 13



Ladder Non-Studded

- Crossers on every second side chain link
- Non-studded crossers provide modest grip without damaging the road surface
- Basic design made with high quality TRYGG components ensures long service life
- Also available with 4-links spacing

NON-STUDD LADDER	11 mm - 7/16"			13 mm - 1/2"		
	Tire size	Stock #	Weight kg/lbs	Price \$	Stock #	Weight kg/lbs
14:00-24/25	CC2-14-24-11	137 / 301	892	CC2-14-24-13	162 / 356	1 175
16:00-24/25	CC2-16-24-11	165 / 362	1 047	CC2-16-24-13	180 / 396	1 240
17.5-25	CC2-175-25-11	155 / 342	982	CC2-175-25-13	195 / 431	1 167
20.5-25	CC2-205-25-11	209 / 460	1 364	CC2-205-25-13	241 / 529	1 489
23.5-25	CC2-235-25-11	230 / 505	1 457	CC2-235-25-13	356 / 784	1 678
26.5-25	CC2-265-25-11	251 / 552	1 669	CC2-265-25-13	445 / 980	1 995

SMT FLEXI 8 & 9.5

FARM TRACTORS



SMT Flexi

- Off road grip and traction for farm tractors working in the woods and steep terrain
- Tight mesh pattern keeps many studs in contact with the ground at all times
- Multi-Fit design easily adjusts to fit perfectly on new and used tires with no tools required
- Alloy steel deep case hardened for strength, durability and long service life

SMT FLEXI 8 - 5/16"					SMT FLEXI 9.5 - 3/8"				
Item #	Item #	Item #	Item #	Item #	Item #	Item #	Item #	Item #	Item #
602901	602904	602906	602908	602910	603901	603903	603905	603907	603909
Weight	Weight	Weight	Weight	Weight	Weight	Weight	Weight	Weight	Weight
76kg/167 lbs	65kg/143lbs	59kg/130lbs	48kg/106lbs	85kg/187lbs	119kg/262lbs	98kg/216lbs	94kg/207lbs	83kg/183lbs	144kg/317lbs
932 \$	798 \$	725 \$	590 \$	1 044 \$	1 290 \$	1 101 \$	987 \$	931 \$	1 576 \$
12.4-28	12.4-20	10.5-20	10.0/75-15.3	440/65-28	14.9-38	13.00-24/25	16.0/70-24	13.6-24	18.4-38
12.4-32	12.5-20	11.2-20	10.5/70-15.5	420/70-24	15.5-38	13.6-28	400/80-24	14.5-20	460/85-30
13.6-28	13.6-16	12.5/80-18	280/60-15.5	460/70-24	16.00-24/25	14.00-20	405/70-24	14.9-20	480/70-38
320/85-28	14.5-20	12.5/80-20	10-16.5	400/80-24	16.9-28	14.9-24	420/65-24	14/80-20	520/70-34
340/85-24	15-19.5	260/80-20	12-16.5	440/65-26.5	16.9-30	14.9-26	420/70-24	340/85-24	520/70-38
Item #	14/80-20	280/70-20	Item #	440/70-24	16.9-34	14.9-28	440/65-24	360/70-24	540/65-38
602902	41x1400-20	300/70-20	602909	445/70-24	18.4-30	15.5-25	440/65-26.5	365/80-20	600/65-34
Weight	300/70-24	320/70-20	Weight	405/70-24	420/70-34	380/70-28	440/65-28	375/75-20	Item #
67kg/147lbs	320/70-24	Item #	56kg/123lbs	460/65-24	420/85-28	380/85-24	440/70-24	380/70-24	603910
823 \$	340/75-20	602907	689 \$	440/65-24	420/85-30	380/85-28	445/70-24	400/70-18	Weight
11.2-24	360/70-20	Weight	12.5-18	420/65-24	440/80-28	Item #	455/70-20	405/70-18	88kg/194lbs
11.2-28	365/80-20	71kg/156lbs	14.0/65-16	16.0/70-24	460/85-30	603904	Item #	Item #	922 \$
12.4-24	Item #	871 \$	15.0/55-17	425/65-22.5	Item #	Weight	603906	603908	12.4-24
280/85-24	602905	16/70-20	15.5/55-18	445/65-22.5	603902	107kg/235lbs	Weight	Weight	12.4-28
320/70-24	Weight	360/70-20	15.5/65-18	Item #	Weight	1 117 \$	101kg/222lbs	124kg/273lbs	13.6-24
320/85-24	59kg/130lbs	365/80-20	335/80-18	602911	128kg/282lbs	12.4-36	1 133 \$	1 330 \$	320/85-24
Item #	725 \$	375/75-20	340/65-18	Weight	1 433 \$	12.4-38	14.00-24/25	20.5-25	Item #
602903	8.00-20	380/70-20	365/70-18	92kg/202lbs	16.9-38	13.6-36	14.9-28	480/70-30	603911
Weight	8.25-20	405/70-18	38x14.00-20	1 128 \$	18.4-30	13.6-38	14.9-30	480/70-34	Weight
75kg/165lbs	8.3-24	405/70-20	12.4-16	17.5-25 std	18.4-34		16.9-24	520/70-30	106kg/233lbs
923 \$	9.5-20	43x1600-20	31x15.5-15	19.5L-24	420/85-34		16.9-26	540/65-30	1 185 \$
13.6-24	9.5-24		38x1400-20	480/65-28	460/85-30		380/85-28	540/65-34	17.5-25
14.9-24	210/85-29		400/60-15.5	480/70-24	460/85-34		380/85-30		19.5L-24
360/70-24	240/85-24			440/80-24	480/70-34		420/70-28		440/80-24
380/70-24	240/85-20			495/70-24	480/70-38		420/70-30		480/65-24
380/85-24	250/80-18			520/65-24			420/85-24		480/65-28
400/60-26.5				480/65-24					480/70-24
400/80-24									495/70-24
425/75-20									520/65-24
1400-20									

SAFET GRIP 7

FARM TRACTORS



Safety Grip 7



- Traction for farm tractors working on icy hard packed surfaces
- Light weight makes "on" and "off" easy for intermittent use
- Safety Grip pattern keeps the chain on top of the lugs for continuous grip
- "Wear bars" increase grip and extend service life
- Easily adjusted to fit new and used tires
- Deep case hardened alloy steel

SAFETY GRIP 7 - 9/32"

SAFETY GRIP 7 - 9/32"				
Item #	Item #	Item #	Item #	Item #
513179	513305	513387	513388	513397
Weight	Weight	Weight	Weight	Weight
25kg / 55 lbs	26kg / 57 lbs	31kg / 68 lbs	33kg / 73 lbs	43kg / 95 lbs
312 \$	325 \$	387 \$	410 \$	534 \$
7.50-18	12.4-16	10.00-20	14.5/80-18	445/65-22.5
8.00-18	15.0/55-17	11.00-20	14.5-20	445/70-24
8.3-22	15.0/55-18	11.2-24	15-19.5	44x18.00-20
8.3-24	31x15.50-15	12.4-20	355/80-20	455/70-24
10-16.5	33x15.50-15	12.5-18	360/80-20	460/65-24
12-16.5	36x14.00-15	12.5-20	365/80-20	15.5-25
12.0/75-18	38x12.50-17	12R-22.5	375/75-20	14.00-20
13/70-16	400/60-15.5	13.6-16	380/70-20	15.5/70-25
260/80-20	425/55-17	14-17.5	400/55-22.5	15.5/80-24
280/70-16	Item #	300/70-20	400/60-22.5	16.0/70-24
280/70-18	513313	300/70-24	41x14.00-20	380/65-24
31x13.00-16	Weight	300/75-20	425/55-17	380/70-24
Item #	480/65-24	300/80-24	Item #	380/70-28
513302	354 \$	320/70-24	513396	395/85-20
Weight	480/70-24	320/80-18	Weight	400/60-26.5
24.5kg / 54 lbs	495/70-24	320/85-20	39kg / 86 lbs	400/65-26.5
312 \$	495/70-25	335/80-18	486 \$	400/80-24
8.25-15	500/60-22.5	335/80-20	12.00-20	405/70-24
10.0/75-15.3	500/60-26.5	360/70-20	14.5-20	420/65-24
10.5/80-18	500/70-24	370/75-20	14.9/80-20	420/70-24
11.5/80-15.3	520/65-24	38x14.00-20	14.9-20	425/75-20
300-15	520/65-24 IND		16/70-20	440/65-24
31x10.50-15	525/65-20.5		18R-19.5	440/70-24
31x11.50-15	540/65-24		355/80-20	
33x12.50-15	19.5L-24		360/80-24	
33x13.50-15	440/80-24		385/65-22.5	
			395/80-20	
			400/70-20	
			405/70-20	
			420/65-20	

SAFETY GRIP 7 - 9/32"				
Item #	Item #	Item #	Item #	Item #
513399	513416	513419	513514	513552
Weight	Weight	Weight	Weight	Weight
47kg / 103 lbs	75kg / 165 lbs	62kg / 136 lbs	45kg / 99 lbs	53kg / 117 lbs
584 \$	931 \$	770 \$	560 \$	658 \$
450/65-28	580/70-34	460/85-34	12.4-32	440/80-34
480/60-25	650/60-38	460/85-38	12.4-36	460/85-30
480/65-28	650/65-34	480/70-38	Item #	14.9-38
480/70-24	650/65-38	480/80-38	513522	15.5-38
480/70-26	Item #	520/70-38	Weight	16.9-34
14.00-24/25	513417	540/65-38	43kg / 95 lbs	18.4-30
17.5-25	Weight	540/70-34	534 \$	420/70-34
14.9-26	80kg / 176 lbs	18.4-38	13.00-24/25	420/85-30
14.9-28	992 \$	Item #	13.6-28	420/85-34
14.9-30	580/70-42	513504	14.9-24	Item #
16.5/85-24	620/70-42	Weight	15.5/70-25	513602
16.9-24	650/65-42	29kg / 64 lbs	340/85-28	Weight
16.9-26	650/75-38	362 \$	360/70-28	53kg / 117 lbs
365/85-20	710/60-38	9.5-20	Item #	658 \$
380/85-24	710/70-38	9.5-24	513524	520/75-26
380/85-28	20.8-42	10.5-20	Weight	525/80-25
380/85-30	Item #	11.2-20	48kg / 106 lbs	600/55-26.5
385/95-25	513418	12.5/80-18	597 \$	600/60-28
400/80-28	Weight	31x10.50-15	12.4-38	600/65-25
405/70-18	62kg / 136 lbs	320/70-20	13.6-36	600/65-28
420/70-28	770 \$	365/70-18	13.6-38	650/50-22.5
420/70-30	460/85-34	Item #	340/85-38	650/65-26.5
420/85-24	480/70-34	513512	Item #	20.5-25
440/65-28	480/80-30	Weight	513551	20R-24
Item #	480/80-34	39kg / 86 lbs	Weight	Item #
513414	520/70-30	486 \$	53kg / 117 lbs	513766
Weight	520/70-34	11.2-28	671 \$	Weight
68kg / 150 lbs	540/65-34	12.4-24	440/80-28	60kg / 132 lbs
844 \$	540/70-30	12.4-28	440/80-30	744 \$
600/65-34	580/65-30	13.6-24	445/95-25	23.5-25std
600/65-38	600/60-30.5	280/85-28	480/65-30	23.5-25L5
620/75-30	600/65-30.5	320/70-28	480/70-28	Item #
650/60-34	18.00-24/25	320/85-24	480/70-30	513991
23.5-25std	16.9-38	320/85-28	480/80-26	Weight
Item #	18.4-34	340/80-24	480/80-28	32kg / 70 lbs
513415	420/85-38	340/85-24	500/65-28	366 \$
Weight		360/70-24	520/60-28	
68kg / 150 lbs			520/65-28	19.0/45-17
844 \$			520/65-30	505/50-17
520/85-38			540/65-28	505/50-17.5
540/70-38			540/65-30	Item #
540/80-38			16.00-24/25	513992
580/70-38			16.5/85-28	Weight
600/60-38			16.9-28	33kg / 73 lbs
600/70-30			16.9-30	411 \$
600/70-34			18.4-26	500/50-17
20.8-34			420/85-28	500/60-15.5
20.8-38				525/55-17

ALL TERRAIN 6

COMPACT TRACTOR, SxS, UTV & ATV



- Diamond pattern stays on top of lugs for continuous grip
- Studs on every second link increase ground penetration
- Low profile, needs only 1 ½ inch side wall clearance and 2 inches for fender clearance

ATV

ALL TERRAIN 6 - 1/4"

Tire size	Stock #	Weight kg/lbs	Prices \$
16x8-7	425206	9 / 20	190
16x6.50-8 170/60-8	425207	10 / 22	207
5.00-12 5.00-10	425208	11 / 24	211
18x8.50-8 18x8.50-10	425209	13 / 29	215
205/80-12	425210	14 / 31	220
20x10-8 20x9-8 20x8-8 20x8-10	425211	13 / 29	215
23x8.00-12 23x8.50-12 23x8.50-14 23x10.50-12 23x10.00-10 24x9.00-11 24x8.50-14 24x9.00-12 25x8.00-12 220/55-12	425220	13 / 28	206
24x10.5-12 25x10.00-12 25x10.00-10 26x8.00-12 24x8-12 26x8.00-14 24x8.50-12 205/65-15 205/85-12 23x10.50-12 26x9.00-12 25x8.50-14	425225	15 / 33	215
6.00-12, 6.00-14	425226	14 / 31	286
24x10.00-11 24x11.00-10 24x11.50-10 25x10.00-10 25x10.00-12 25x11.00-10 26x10.50-12 25x10.50-12 25x12.00-9	425230	13 / 28	236
25x11.00-10 25x12.50-12 26x10.50-12	425240	14 / 31	245
26x10.00-14	425249	16 / 35	271
11 0/65-12 25x12.50-10 25x12.50-12 26x10.00-12 26x10.50-12 26x11.00-12 26x12.00-12 27x9.00-12 27x12.00-12 27x9.00-14 27x11.00-14 255/60-14	425250	15 / 33	255
28x12.00-12 27x12:00-12	425255	17 / 37	262
27x8.50-15	425312	20 / 44	309
7.00-16 8.00-16	425327	21 / 46	330
27x10.50-15 27x9.50-15 7.00-12 7.00-14 30x9.00-14 28x8.50-14	425328	20 / 44	314
27x12.5-15 29x12.5-15 31x12.5-15	425340	21 / 46	325
12-16.5 33x12.5-15	425356	24 / 53	374
7:50-18 8:00-18 8.3-22 8.3-24	425358	24 / 54	374
11.2-16 12.4-16 13.6-16	425360	27 / 59	392

FORKLIFT & SKID STEER

FORKLIFT & SKID STEER



Helene



2 Regular links



2 Square links



Tire size	HELENE				2 REGULAR LINKS				2 SQUARE LINKS			
	5.5 mm	Price \$	7 mm	Price \$	7 mm	Price \$	8 mm	Price \$	7 mm	Price \$	8 mm	Price \$
6.50-10	414213	276	414313	342	412313	280	-	-	413313	284	-	-
7.00-12	414220	385	414320	422	412320	346	412420	352	413320	352	413420	358
7.00-15, 29x8-15	414230	417	414330	435	412330	377	412430	389	413330	407	413430	404
7.50-15	414235	431	414335	469	412335	420	412435	434	413335	445	413435	452
7.50-16	414238	457	414338	530	412336	448	412436	436	-	-	-	-
8.25-15	414245	482	414345	565	412345	445	412445	460	413345	470	-	-
8.15-15	414240	425	414340	478	412340	375	412440	385	413340	381	413440	392
28x9-15	-	-	414370	478	412370	375	412470	385	413370	381	413470	392
9.00-20	-	-	414374	625	412337	589	412437	588	-	-	413447	615
10.00-20	-	-	414375	662	412375	626	412400	625	-	-	-	-
28x12.50-15	-	-	414385	573	412385	449	412485	462	413385	426	413485	469
250-15	-	-	414380	465	412380	390	412480	401	413380	419	413480	419
300-15, 32x12.50-15	-	-	414490	572	412390	474	412490	487	413390	504	413490	512

Tire size	2 REGULAR LINKS				2 SQUARE LINKS			
	7 mm	Price \$	8 mm	Price \$	7 mm	Price \$	8 mm	Price \$
10-16.5	CC2-10-16.5-071	384	CC2-10-16.5-080	396	CQ2-10-16.5-071	412	509182-2	426
12-16.5	CC2-12-16.5-071	407	CC2-12-16.5-080	415	CQ2-12-16.5-071	438	509101-2	445
14-17.5	-	-	CC2-14-17.5-080	447	-	-	CQ2-14-17.5-080	481

V-BAR MULTI-FIT

LIGHT & HEAVY TRUCKS



V-Bar 7 Single



V-Bar 7 Dual Triple



- 9/32" crossers, 5/16" side chain
- V-Bar chains are less aggressive but still provide good grip and traction on snow and ice
- Studded chains penetrate frozen terrain and provide extreme grip and traction on steep grades
- Deep case hardened to provide long service life without breakage

Tire size	V-BAR 7 SINGLE				V-BAR DUAL TRIPLE			
	Stock #	7 mm - 9/32 Price \$	Stock cams	7 mm - 9/32 Price \$	Stock #	7 mm - 9/32 Price \$	Stock cams	7 mm - 9/32 Price \$
7.00-15, P265/70-15, 265/75-15, 31x10.5-15, 215/85-16, P235/70-16, P255/65-16, 9.50-16.5, 235/80-17, 7.50-15, 30x9.50-16.5, 7.50-16, 225/75-16, 245/75-16, 8.75-16.5, 8-17.5, P265/65-17, P215/75-17.5	F485315	136	F486315	142	F487315	272	F488315	284
8.25-15LT, 33x9.50-15, P285/75-15, P255/70-16, P275/70-16, 7.50-17LT, P245/70-17, P265/70-17, 7.00-18, 225/70-19.5LT, 32x11.50-15, 33x10.50-15, 235/85-16LT, 10-16.5, P235/80-17, P255/75-17, P275360-17, 8-19.5, 7.50-16	F485320	147	F486320	153	F487320	271	-	-
245/85-16, 275/70-17, 245/70-19.5, 8-22.5, 255/85-16, 10-17.5, 7.50-20	F485322	161	F486322	167	F487322	283	F488322	303
P235/75-15, 225/75-16, 8.75-16.5, 235/75-15, 8.00-16.5	F485312	119	F486312	125	F487312	285	F488312	291
9.00-16, 265/70-19.5, 9-22.5, 245/75-22.5, 255/80-22.5, 10.5-18, 8.25-20, 235/80-22.5, 255/70-22.5	F485332	182	F486332	188	F487332	320	F488332	338
305/70-16, 33x12.50-15, 285/75-16, 285/65-18, 33x12.50-16.5, 285/75-17, P265/60-20, 315/70-15, P285/70-17, 275/70-18, P275/55-20	F485295	163	F486295	169	F487295	274	F488295	308
37x12.50-16.5, 9.00-20, 265/75-22.5, 37x13.50-17, 285/70-19.5, 10-22.5	F485342	183	F486342	191	F487342	344	F488342	353
10.00- 20, 275/80-22.5, 295/75-22.5, 38x13.50-20, 11-22.5, 285/75-22.5	F485343	193	F486343	201	F487343	385	F488343	392
10.00- 22, 11-24.5, 285/75-24.5, 315/80-22.5, 275/80-24.5, 295/75-24.5	F485344	207	F486344	216	F487344	407	F488344	415
38x15.50-18, 295/80-22.5, 11.00-20, 12-22.5	F485355	207	F486355	216	F487355	430	F488355	438
15-19.5, 13/80-20, 11.00-22, 12-24.5, 12.00-20, 14/80-20, 315/80-22.5	F485356	222	F486356	230	F487356	447	F488356	455
12.00- 24	F485372	251	F486372	259	F487372	451	F488372	461



STUDDED MULTI-FIT

LIGHT & HEAVY TRUCKS



Studded 7



Studded 7 Dual Triple



- Multi-fit design fits a variety of tire sizes with the same chain
- 9/32" crossers, 5/16" side chain
- Studded chains penetrate frozen terrain and provide extreme grip and traction on steep grades
- Deep case hardened to provide long service life without breakage

Tire size	STUDDED 7 SINGLE				STUDDED 7 DUAL TRIPLE			
	Stock #	7 mm - 9/32 Price \$	Stock cams	7 mm - 9/32 Price \$	Stock #	7 mm - 9/32 Price \$	Stock cams	7 mm - 9/32 Price \$
7.00-15, P265/70-15, 265/75-15, 31x10.5-15, 215/85-16, P235/70-16, P255/65-16, 9.50-16.5, 235/80-17, 7.50-15, 30x9.50-16.5, 7.50-16, 225/75-16, 245/75-16, 8.75-16.5, 8-17.5, P265/65-17, P215/75-17.5	485315	242	486315	258	487315	412	488315	442
8.25-15LT, 33x9.50-15, P285/75-15, P255/70-16, P275/70-16, 7.50-17LT, P245/70-17, P265/70-17, 7.00-18, 225/70-19.5LT, 32x11.50-15, 33x10.50-15, 235/85-16LT, 10-16.5, P235/80-17, P255/75-17, P275360-17, 8-19.5, 7.50-16	485320	262	486320	278	4875320	410	-	-
245/85-16, 275/70-17, 245/70-19.5, 8-22.5, 255/85-16, 10-17.5, 7.50-20	485322	286	486322	304	487322	428	488322	472
P235/75-15, 225/75-16, 8.75-16.5, 235/75-15, 8.00-16.5	485312	212	486312	228	487312	431	488312	453
9.00-16, 265/70-19.5, 9-22.5, 245/75-22.5, 255/80-22.5, 10.5-18, 8.25-20, 235/80-22.5, 255/70-22.5	485332	324	486332	342	487332	484	488332	526
305/70-16, 33x12.50-15, 285/75-16, 285/65-18, 33x12.50-16.5, 285/75-17, P265/60-20, 315/70-15, P285/70-17, 275/70-18, P275/55-20	485295	290	486295	308	487295	415	488295	480
37x12.50-16.5, 9.00-20, 265/75-22.5, 37x13.50-17, 285/70-19.5, 10-22.5	485342	325	486342	347	487342	520	488342	549
10.00- 20, 275/80-22.5, 295/75-22.5, 38x13.50-20, 11-22.5, 285/75-22.5	485343	340	486343	364	487343	554	488343	584
10.00- 22, 11-24.5, 285/75-24.5, 315/80-22.5, 275/80-24.5, 295/75-24.5	485344	342	486344	367	487344	557	488344	589
38x15.50-18, 295/80-22.5, 11.00-20, 12-22.5	485355	368	486355	393	487355	650	488355	682
15-19.5, 13/80-20, 11.00-22, 12-24.5, 12.00-20, 14/80-20, 315/80-22.5	485356	395	486356	418	487356	676	488356	708
12.00- 24	485372	446	486372	471	487372	682	488372	717

SUPER 7

HEAVY TRUCKS "STUDDED"




Single



Dual Triple

- Strong & Light weight
- 7 mm (9/32") crossers, deep case hardened
- 6 mm (1/4") side chains, hardened alloy
- Crossers per tire equal to Classic 8
- 6 link crosser spacing



Large square studs
35% bigger
than round



Boomer fastener #67
331230 c/w link 6.25 ea


SUPER 7 - 9/32"				Single				Dual Triple						
Tire size		no cams	Price \$	w/cams	Price \$	Weight kg/lbs	no cams	Price \$	w/cams	Price \$	Weight kg/lbs	Cross link		
9:00-20	10-22.5	490364	310	491364	331	20 / 44	494364	495	495364	523	36 / 79	10		
11R-22.5	275/80-22.5	490374	324	491374	347	22 / 48	494374	528	495374	556	41 / 90	11		
285/75-22.5	295/75-24.5													
11R-24.5	295/75-24.5	490375	326	491375	350	23 / 51	494375	531	495375	561	43 / 95	11		
12R-22.5	11:00-20	490384	359	491384	382	24 / 53	494384	588	495384	616	44 / 97	12		
315/75-22.5	305/75-24.5													
12:00-20	11:00-22	13-22.5	12R-24.5	490385	383	491385	404	25 / 55	494385	661	495385	691	46 / 101	12
12:00-24				490386	396	491386	416	27 / 59	494386	661	495386	691	50 / 110	12
315/80-22.5				490394	354	491394	391	27 / 59	-	-	-	-	-	12
385/65-22.5				490424	383	491424	455	29 / 64	-	-	-	-	-	16
425/65-22.5				490444	396	491444	416	30 / 66	-	-	-	-	-	18
445/65-22.5				490446	459	491446	481	34 / 75	-	-	-	-	-	18
445/50-22.5				490442	406	491442	429	30 / 66	-	-	-	-	-	17
455/55-22.5				490448	430	491448	449	32 / 70	-	-	-	-	-	17

CLASSIC 8

HEAVY TRUCKS



Tight 8



- Double duty
- Increased traction
- Smoother running on steering wheel
- 8 mm (5/16") crossers
- 2 link crosser spacing


TIGHT 8 - 5/16"

Tire size	Single	Weight kg/lbs	Price \$
11R-22.5	452200	57 / 125	564
11R-24.5	452220	59 / 131	585
12R-22.5	452222	81 / 179	800
12R-24.5	452230	66 / 145	653
12:00-24	452232	69 / 152	684
315/80-22.5	452394	60 / 132	593
385/65-22.5	452924	62 / 136	614
425/65-22.5	452944	75 / 165	744
445/65-22.5	452895	82 / 180	813
445/50-22.5	452442	67 / 147	663
455/55-22.5	452448	72 / 158	713

CLASSIC 8



Snake 8



- Increased side hill grip improved control on steering wheels
- 8 mm (5/16") crossers

SNAKE 8 - 5/16"

Tire size	no cams	Price \$	w/cams	Weight kg/lbs	Price \$
11R-22.5	459200	490	459201	46 / 101	504
11R-24.5	459220	504	459221	48 / 105	521
12R-22.5	459222	532	459223	54 / 118	548
12R-24.5	459230	609	459231	56 / 123	626
12:00-24	459232	643	459233	58 / 127	658
315/80-22.5	459394	555	459395	48 / 105	569
385/65-22.5	459424	630	459425	56 / 123	648
425/65-22.5	459444	698	459445	59 / 129	713
445/65-22.5	459446	786	459447	61 / 134	800

CLASSIC 8

HEAVY TRUCKS "STUDDED"




Single



Dual Triple

- Durable & Dependable
- 8 mm (5/16") crossers with oversize round studs
- 8 mm (5/16") side chain, 10 mm (3/8") hooks
- Deep case hardened alloy
- 4 link crosser spacing



8,8 mm
11/32"



Cam tightener



Boomer fastener #89
331240 c/w link 8.95 ea

CLASSIC 8 - 5/16"			Single				Dual Triple					
Tire size		no cams	Price \$	w/cams	Price \$	Weight kg/lbs	no cams	Price \$	w/cams	Price \$	Weight kg/lbs	Cross link
9:00-20	10-22.5	450364	303	457364	322	31 / 68	464364	528	464365	570	57 / 125	9
11R-22.5	275/80-22.5	460200	345	460201	366	34 / 75	464200	593	464201	640	62 / 136	10
285/75-22.5	285/80-22.5											
11R-24.5	295/75-24.5	460220	356	460221	369	36 / 79	464220	603	464221	647	66 / 145	10
12R-22.5	11:00-20	460222	372	460223	401	37 / 81	464222	642	464223	684	69 / 152	11
305/75-24.5	315/75-22.5											
12:00-20	12R-24.5	460230	429	460231	453	40 / 88	464230	684	464231	727	73 / 161	11
12:00-24		460232	450	460233	472	42 / 92	464232	690	464233	737	74 / 163	12
315/80-22.5		460394	416	460395	406	37 / 82	-	-	-	-	-	12
385/65-22.5		450924	422	457424	443	40 / 88	-	-	-	-	-	12
425/65-22.5		450944	466	457444	488	43 / 94	-	-	-	-	-	16
445/65-22.5		450895	524	457895	543	48 / 105	-	-	-	-	-	16
445/50-22.5		450442	435	457442	456	41 / 90	-	-	-	-	-	16
455/55-22.5		450448	466	457448	488	43 / 94	-	-	-	-	-	17

SQUARE ICE 7 & 8

HEAVY TRUCKS



Single

Dual Triple

- Grip and traction on paved roads
- Alloy steel deep case hardened
- Long service life without breakage
- 6 mm (1/4") hard alloy side chain reduce weight by 16% on triples and 8% on singles compared to chains with 8 mm (5/8") side chains

7 mm
9/32"



Boomer fastener #67
331230 c/w link 6.25 ea

SQUARE ICE 7 - 9/32"				Single				Dual Triple						
Tire size				no cams	Price \$	w/cams	Price \$	Weight kg/lbs	no cams	Price \$	w/cams	Price \$	Weight kg/lbs	Cross link
9:00-20 10R-22.5 275/80-22.5				475090	167	475091	185	25 / 55	-	-	-	-	-	12
11R-22.5 285/75-22.5 285/80-22.5 275/80-22.5				475100	175	475101	189	26 / 57	469100	325	469101	364	47 / 103	13
11R-24.5 295/75-24.5 315/80-22.5 11:00-20 12R-22.5 305/75-24.5 315/75-22.5				475110	181	475111	196	27 / 59	469110	350	469111	372	48 / 106	14
12:00-20 11:00-22 13R-22.5 12R-24.5				475120	193	475121	209	29 / 64	469120	366	469121	392	52 / 114	15
12:00-24				475130	206	475131	223	31 / 68	469130	396	469131	420	56 / 123	16
385/65-22.5				475123	199	475124	217	30 / 66	-	-	-	-	-	18
425/65-22.5				475144	220	475145	235	33 / 72	-	-	-	-	-	19
445/65-22.5				475127	240	475128	261	34 / 75	-	-	-	-	-	20
445/50-22.5				475125	212	475126	228	32 / 70	-	-	-	-	-	20
455/55-22.5				475148	220	475149	235	33 / 73	-	-	-	-	-	21

SQUARE ICE 8 - 5/16"				Single				Dual Triple						
Tire size				no cams	Price \$	w/cams	Price \$	Weight kg/lbs	no cams	Price \$	w/cams	Price \$	Weight kg/lbs	Cross link
11R-22.5 275/80-22.5 285/75-22.5 285/80-22.5				475200	206	475201	223	33 / 73	469200	369	469201	401	60 / 132	11
11R-24.5 295/75-24.5 315/80-22.5 12R-22.5 11:00-20 305/75-24.5				475220	212	475221	227	34 / 75	469220	378	469221	414	62 / 136	11
12:00-20 11:00-22 13R-22.5 12R-24.5				475170	230	475171	248	37 / 81	469170	414	469171	446	67 / 147	13
12:00-24				475230	241	475231	261	39 / 86	469130	439	469131	470	70 / 154	14
385/65-22.5				475323	251	475324	265	40 / 88	-	-	-	-	-	16
425/65-22.5				475344	259	475345	272	41 / 90	-	-	-	-	-	18
445/65-22.5				475427	269	475428	283	43 / 95	-	-	-	-	-	19
445/50-22.5				475325	251	475326	265	40 / 88	-	-	-	-	-	19
455/55-22.5				475348	259	475349	272	41 / 90	-	-	-	-	-	20

CHAINS TOOLS & PARTS

PIN CONNECTOR

- Narrow tips fit into twisted links
- Large diameter pin stays tight
- Wide back adds strength
- Nr. 16, 19 and 22 are multi fit



Description	Stock#	Weight (kg/lbs)	Price \$
Nr. 5 7/32" (4-pack)	520205-4	0.03 / 0.7	9.97
Nr. 6 1/4" (4-pack)	520206-4	0.04 / 0.9	11.08
Nr. 7 9/32" (4-pack)	520207-4	0.05 / 0.11	12.94
Nr. 8 5/16" (4-pack)	520208-4	0.09 / 0.2	14.43
Nr. 10 3/8" (3-pack)	520210-3	0.17 / 0.37	16.66
Nr. 16 5/8" (also fits 13 mm) 1/2"	520215	1.24 / 2.73	9.02
Nr. 19 3/4" (also fits 16 mm) 5/8"	520218	1.65 / 3.63	12.31
Nr. 22 7/8" (also fits 19 mm) 3/4"	520221	1.72 / 3.8	13.21

*Spare pins sold separately

ANCHOR SHACKLE

- Superior quality Anchor shackle with screw pin
- Forged carbon steel with alloy pin
- Load rated, permanently marked



Dimension	Stock#	Weight (kg/lbs)	Price \$
6,5 mm WL 0.5 T 9/32"	341406	0.05 / 0.11	1.24
8 mm WL 0.75 T 5/16"	341408	0.08 / 0.18	1.61
10 mm WL 1 T 3/8"	341410	0.14 / 0.31	2.16
11 mm WL 1.5 T 7/16"	341411	0.19 / 0.42	2.90
13 mm WL 2 T 1/2"	341713	0.30 / 0.66	4.07
16 mm WL 3.25 T 5/8"	341716	0.58 / 1.3	6.90
19 mm WL 4.75 T 3/4"	341719	1.0 / 2.2	11.07
22 mm WL 6.5 T 7/8"	341722	1.5 / 3.3	16.97

RUBBER SNUBBER

- High quality rubber
- Pliable to -30 C
- Keeps chains snug
- Folds up for easy storage



Dimension	Stock#	Weight (kg/lbs)	Price \$
Rims 16" to 20"	350108	0.37 / 0.81	22.54
Rims 20" to 24.5"	350109	0.66 / 1.45	30.27

CHAIN SHACKLE

- Galvanized shackle with screw pin
- Forged carbon steel
- Not load rated



Dimension	Stock#	Weight (kg/lbs)	Price \$
6 mm / 1/4"	341065	0.05 / 0.11	0.98
8 mm / 5/16"	341080	0.06 / 0.13	1.27
10 mm / 3/8"	341100	0.11 / 0.24	2.02
11 mm / 7/16"	341110	0.16 / 0.35	2.53
13 mm / 1/2"	341130	0.22 / 0.48	4.25
16 mm / 5/8"	341160	0.45 / 0.99	9.85

JUMBO TOOL

- Installation tool for heavy equipment chains
- Hardened threads
- Impact gun or hand wrench
- Max opening 15"
- Fits 1/2" up to 7/8" links



Description	Stock#	Weight (kg/lbs)	Price \$
Tightening tool for impact wrench	350105	6.1 / 13.0	390

RATCHET TOOL

- Installation tool for tractor and light equipment chains
- Hand operated ratchet jack
- Hardened teeth and jaws
- Maximum opening 18"
- Fits 5/16" up to 5/8" links



Description	Stock#	Weight (kg/lbs)	Price \$
Tightening piler	350100	4.0 / 8.8	370.50

CHAINS TOOLS & PARTS

CROSS CHAINS, CONTINUOUS LENGTHS



Studded



Plain

Dimension	Pitch (mm/inch)	Stock #	WITH STUDS		Stock #	WITHOUT STUDS	
			kg pr m / lbs pr ft	Price \$		kg pr m / lbs pr ft	Price \$
5.0 mm	20.0 / 0.79	301050	0.74 / 0.50	6.87	303050	0.55 / 0.37	2.73
5.5 mm	21.0 / 0.82	301055	0.90 / 0.60	7.13	303055	0.67 / 0.45	3.09
6.0 mm	22.5 / 0.89	301060	1.09 / 0.73	7.20	303060	0.80 / 0.54	3.39
7.0 mm SUPER	29.5 / 1.16	301071	1.40 / 0.94	8.54	303071	1.03 / 0.69	3.79
8.0 mm	29.5 / 1.16	301080	1.94 / 1.30	8.84	303080	1.46 / 0.98	5.11
9.5 mm	36.5 / 1.44	301095	2.55 / 1.71	11.67	303095	1.94 / 1.30	5.91
11.0 mm	42.0 / 1.65	301110	3.68 / 2.47	14.70	303110	2.67 / 1.79	9.35
13.0 mm	56.0 / 2.20	301130	4.80 / 3.22	19.50	303130	3.49 / 2.34	13.39
16.0 mm	60.5 / 2.38	301160	7.10 / 4.76	25.91	303160	5.44 / 3.65	20.20
19.0 mm	70.0 / 2.76	301190	8.45 / 5.67	31.30	303190	6.46 / 4.33	24.24

SQUARE ICE, CONTINUOUS LENGTHS



Dimension	W mm / inch	L mm / inch	Stock #	kg / m lbs / ft	m / ft pr bundle	Price \$
5.0 - 3/16"	6.50 / 0.26	17.0 / 0.67	305049	0.55 / 0.37	30.0 / 98.4	3.29
7.0 - 9/32"	10.0 / 0.39	25.0 / 0.98	305070	1.02 / 0.69	30.0 / 98.4	4.15
8.0 - 5/16"	11.3 / 0.44	28.0 / 1.01	305080	1.50 / 1.00	30.0 / 98.4	5.91
10.0 - 3/8"	13.5 / 0.53	36.0 / 1.42	305100	2.11 / 1.42	15.0 / 49.2	7.23
11.5 - 29/64"	15.5 / 0.61	41.5 / 1.63	305110	2.74 / 1.84	10.0 / 32.8	9.90
13.0 - 1/2"	19.0 / 0.74	44.0 / 1.73	305130	3.47 / 2.32	10.0 / 32.8	13.60

HARDENED SIDE CHAIN, CONTINUOUS LENGTHS



Dimension	Stock #	kg / m lbs / ft	Price \$
5.0 x 34 mm	311050	0.42 / 0.28	2.08
6.0 x 34 mm SUPER	311061	0.68 / 0.45	3.49
7.0 x 42 mm	311070	0.84 / 0.56	2.88
8.0 x 50 mm	311081	1.12 / 0.75	3.49
9.5 x 50 mm	311096	1.67 / 1.12	5.05
9.5 x 62.5 mm	311095	1.56 / 1.04	4.60
11.0 x 60 mm	311110	2.16 / 1.45	7.48
13.0 x 60 mm	311131	3.20 / 2.15	9.09

CHAIN CLAW



- Chain Claw 3 in 1 tool
 - Snipe
 - Cam tool
 - Hammer
- Speeds up installation



Description	Stock#	Weight (kg/lbs)	Price \$
Chain Claw	350004	0.4 / 0.88	32.07

CHAINS TOOLS & PARTS

BOOMER W / LINK

Fits	Gauge	Stock #	Weight (kg/lbs)	Price \$
4.0 - 4.5 mm side chain	4,0 / 1/8"	331210	0.06 / 0.13	3.54
5.0 - 5.5 mm side chain	4,0 / 1/8"	331220	0.07 / 0.15	3.54
6.0 - 7.0 mm side chain	6,0 / 1/4"	331230	0.15 / 0.33	5.05
8.0 mm side chain	8,0 / 5/16"	331240	0.25 / 0.55	6.14
9.5 - 11 mm side chain	10,0 / 3/8"	331250	0.46 / 1.01	9.77



FLAT "C" HOOK

Fits	Gauge	Stock#	Weight (kg/lbs)	Price \$
3-3.5 mm	6	333200	0.01 / 0.02	1.27
4-5.5 mm	7	333210	0.02 / 0.04	1.52
6-7 mm	8	333220	0.05 / 0.11	1.92
8-10 mm	9	333230	0.09 / 0.20	2.53



CROSS CHAIN HOOKS

- Polished finished
- Alloy steel



CROSSFIT TENSIONER

- Center screw pulls chains tight
- Lock nuts prevent stripped threads
- Includes 4 shackles
- Sold per piece 1/2 pair



Description	Stock#	Weight (kg/lbs)	Price \$
25" - 29" rims	336050	3.5 / 7.7	293.33

Dimension (mm/inch)	Pitch (mm/inch)	Draw hardened Stock #	Weight / 1000 pcs. (kg/lbs)	Price \$
5.0 / 3/16"	42 / 1.65	320050	25 / 55	0.51
5.5 / 0,22"	42 / 1.65	320055	30 / 66	0.63
6.0 / 1/4"	35 / 1.38	320060	38 / 84	0.66
7.0 / 9/32"	44 / 1.73	320070	54 / 119	0.76
8.0 / 5/16"	43 / 1.69	320080	78 / 172	1.12
8 mm Super	43 / 1.69	323080	78 / 172	1.57
8 mm Hybrid	57 / 2.24	320081	90 / 198	1.77
9.0 / 23/64"	44 / 1.73	320091	100 / 220	1.22
10.0 / 3/8"	57 / 2.24	320100	144 / 317	1.60
11.0 / 7/16"	61 / 2.40	320110	204 / 449	1.87
13.0 / 1/2"	70 / 2.76	320130	326 / 717	3.29

PLIER

- Opens and closes cross hooks
- Lever action
- Simplifies repairs
- Fits 1/4" up to 3/8" hooks
- Two handle lengths 20" and 33"



Description	Stock#	Weight (kg/lbs)	Price
Assembling piler L=83cm/33"	350200	3.5 / 7.7	87.80
Assembling piler L=50cm/20"	350210	2.8 / 6.15	80.50

BOLT CUTTER

- Hardened jaws and bolts
- Compound leverage
- Two handle lengths 24" and 36"
- Cuts non hardened chain up to 3/8"



Description	Stock#	Weight (kg/lbs)	Price \$
24" handle length	350300	6.0 / 13.2	45.45
36" handle length	350320	12.0 / 26.0	78.78





*Nosted & Inc.
5495 Rue Saint-Roch
Drummondville, Quebec
Canada J2B 6V4
Tel: 888-478-2426
Fax: 819-478-1187
E-post: christian.tracy@nosted.com
www.nosted.com*

*Nøsted & AS
4515 Grønviksveien 8
Mandal, Norway
Tel: +47 38 27 25 50
Fax: +47 38 27 25 51
E-mail: post@trygg.no
www.nosted.com*

 Tryggkjetting

 Nøsted&

 @trygg_chains

 @nosted_and



Thank you for choosing TRYGG Share your photos with us! #tryggchains #tryggkjetting

DEALERS: